


VIVA BOARD CEMENT BONDED PARTICLE BOARD




GO GREEN with VIVA BOARD

VIVA Board is a cement bonded particle board. It conforms to the Thai Standard TIS. 878-2537 for cement bonded particle board quality requirements and the European Standard EN 13986:2004 for wood-based panels use in construction.

VIVA Board also complies with Green Material Schemes such as Thai Green Label, Singapore Green Label and Taiwan Green Building. It proves to be both health and environmentally friendly building material.

VIVA Board is manufactured by Viva Industries Co., Ltd. The company is certified by the quality management system ISO 9001 and the environmental management system ISO 14001.





World Class Projects

With 30 years of experience, plus constant research and development, VIVA Board has been proven to be a superior cement-bonded particle board, and has been used in many world-class construction projects.


World class projects that entrust VIVA Board





Singapore Sport Hub

The Venetian, Macao



Yas Island, Abudhabi



Ruby hall, Myanmar



Naypyidaw Airport, Myanmar



Marina Bay Sand, Singapore



Resort World Sentosa, Singapore



Dubai Mall, Dubai



Changi Airport, Singapore



Dubai Festival City, Dubai





VIVA BOARD

THE BEST COMBINATION OF WOOD AND CEMENT

VIVA Board is a cement bonded particle board. It has unique smooth grey cement surface. It is made from planted Eucalyptus chips, Portland cement, and mineralizing agents. Wood is processed into coarse and fine flake and thoroughly mixed with cement, mineralizing agent, and water in computer-controlled mixer. The required amount of mixed material is laid continuously on carrier plates using unique process which distributes coarse material in the middle and fine material on the two surfaces. The carrier plates with the formed mat are stacked and compressed using very high pressure to convert the formed mat into boards of required thickness with high strength and grey, smooth, cement-like surfaces. Once the boards are cured and conditioned, they are trimmed to the finished size, thoroughly inspected for quality, and packed for dispatch.

Size, Thickness and Weight









VIVA Thickness and Application



Application / Thickness (mm)	8	10	12	16	20	24
VIVA Clad			0			
VIVA Build: Residential Building Wall		0				
VIVA Build: Public Building Wall		0	0			
VIVA Easy Wall						
VIVA Covered Wall			0			
VIVA Deco Wall: Interior Wall in Natural Finish						
VIVA Deco Wall: Exterior Wall in Natural Finish						
VIVA Ceiling						
VIVA Sub Roof						
VIVA Wet Area			-			
VIVA Sub Floor						
VIVA Floor						

VIVA SOLUTION

VIVA DECOR

VIVA Fence

VIVA Plank

Pattern

Classic

Wood Pattern Thickness

(mm)

30



Pattern	Thickness (mm)	Width (mm)	Length (mm)	
Classic	46	100 / 150	1000 / 1000	
Wood Pattern	16	100 / 150	1000 / 1200 / 1500	

Width

(mm)

200 / 300

Length

(mm)

2400





Thickness (mm) 8, 10, 12, 16, 20, 24

Size (mm)

Stone Pattern: 1200 x 2400.

1220 x 2440

Wood Pattern: 1200 x 2400,

1220 x 2440,

1200 x 3000,

1220 x 3000





VIVA Clad

Exterior Cladding on Metal Structure or Existing Wall

VIVA Board: Installation Type: 12 mm Flex

Frame:

0.70 - 1.00 mm galvanized top hat section

Frame Spacing:


@ 40-60 cm On top hat section


Fixing: Finishing:

Acrylic paint

Instruction:

Fix Top hat section on existing wall or metal structure with spacing 0.60 m.








VIVA Build

		Flex Ins	stallation		
Building Type Height		VIVA Board		Frame	
	Interior	Exterior	Size	@	
Residential	Below 6 m	10 - 12 8 mm	10 - 12 mm	C75, 0.50 mm thick	40 cm
nesidential	6 - 10 m	o min	12 mm	C75, 0.75-1.00 mm thick	60 cm
Public Building	Below 10 m	10 mm	12 mm	C75, 0.75-1.00 mm thick	60 cm
Public Building	10 - 20 m		12 - 16 mm	075, 0.75-1.00 mm thick	40 cm

Fixing: On principal studs
Finishing: Acrylic paint







	WIND LOAD TABL	E
Wind Load	Building Height: 0 - 10 m	Building Height: 10 - 20 m
	Wind Load (kg/m²)	Wind Load (kg/m²)
VIVA Board	50	80
Thickness (mm)	Stud Spacing (cm)	Stud Spacing (cm)
10	40	*
12	60	40
16	60	60

Remark: For buildings over 20 meters height, please consult manufacturer.

VIVA Easy Wall

Interior Wall or Partition

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

8-10 mm

Flex

Galvanized steel C and U section, 0.50 mm thick

@ 60 x 240 cm

On principal studs

Acrylic paint





VIVA Covered Wall

Interior Wall with Covering Material

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Control Joint:

Finishing:

Instruction:

12 mm

Firm

Galvanized steel C section 0.75 mm and U section 0.50 mm


@ 60 x 60 cm

On principal and common studs

At every 4.8-6 m. and corners of the room

Wallpaper, Ceramic tile

- · Bond boards together using epoxy glue to minimize movement
- Attach covering material on board according to its installation guide
- Fill joint of ceramic tile with tile grout except joint over board's joint fill with polyurethane sealant
- Tiling over board's joint and control joint are not recommended





VIVA Combi Wall

Smooth Finish Interior Wall
(Non-Fire-Rated and 90 Minutes Fire-Rated)

VIVA Board:

Installation Type:

Frame:

Gypsum Board:

Frame Spacing: Fixing:

Control Joint:

Finishing: Instruction: 8 mm

Firm


Galvanized steel C64 and U66 section 0.50 mm thick for non-fire-rated partition and Galvanized steel C75 and U76 section 0.50 mm thick for 90 minutes fire-rated partition 9 mm Gypsum board for non-fire-rated partition 15 mm fire-rated Gypsum board for 90 minutes fire-rated partition @ 60 x 240 cm

On principal and common studs

At every 4.8-6 m. and corners of the room

Acrylic paint

- Fix recommended Gypsum board over both sides of VIVA board in staggered pattern.
- Joint of VIVA board and Gypsum board must not overlap.





VIVA Deco Wall

Interior Wall in Natural Finish

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

8 - 10 mm

Flex

Timber frame 1 1/2 "x 3"

@ 60 x 60 cm

On principal studs

Lacquer, gloss/matte polyurethane





Exterior Wall in Natural Finish on Metal Structure or Existing Wall

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

nstruction

16 mm

Flex

0.70 - 1.00 mm galvanized top hat section

@ 40-60 x 240 cm

On top hat section

Gloss/matte polyurethane

Fix Top hat section on existing wall or metal structure with spacing 0.60 m.









VIVA Deco Floor

Interior Floor in Natural Finish

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

16 - 24 mm

Flas

Light gauge C section, 2.3-3.2 mm thick

@ 40-60 x 120 cm

On principal joists

Gloss/matte polyurethane or epoxy





VIVA Wet Area

Tiled Wall

VIVA Board: Installation Type Frame: Frame Spacing: Fixing: Control Joint: Finishing: Instruction: 12 mm

Firm

Galvanized steel C section 0.75 mm and U section 0.50 mm thick @ 60 x 60 cm

On principal and common studs

At every 4.8-6 m. and corners of the room Ceramic tile

- · Bond boards edges together using epoxy glue
- · Caulk control joints with polyurethane sealant
- Attach ceramic tiles on boards using highly elastic cement based tile adhesive
- Fill joints of ceramic tile with tile grout except joint over board's joint fill with polyurethane sealant
- Tiling over board's joint and control joint are not recommended





Tiled Floor

VIVA Board: Installation Type: Frame: Frame Spacing:

Fixing: Control Joint Finishing: Instruction: 16 - 24 mm

Firm

Light gauge box section, 2.3-3.2 mm thick


@ 40 x 40 cm to 60 x 60 cm depending on required loading capability

On principal and common joists

At every 4.8-6 m. and corners of the room


Ceramic tile

- · Lay boards in staggered pattern
- · Bond boards edges together using epoxy glue
- · Caulk control joints with polyurethane sealant
- Lay water proofing membrane on VIVA board deck before laying ceramic tile
- Attach ceramic tiles on boards using highly elastic cement based tile adhesive
- Fill joints of ceramic tile with tile grout except joint over board's joint fill with polyurethane sealant
- Tiling over board's joint and control joint are not recommended





Special Applications



Installation

VIVA BOARD Applications

VIVA Floor

Elevated Floor & Mezzanine Floor with Covering Material

VIVA Board: Installation Type: Frame:

Frame Spacing: Fixing: **Control Joint:**

16 - 24 mm

Light gauge box section, 2.3-3.2 mm thick


@ 40 x 40 cm to 60 x 60 cm depending on required loading capability

On principal and common joists


At every 4.8-6 m. and corners of the room

Ceramic tile, PVC tile, Carpet

- · Lay boards in staggered pattern
- · Bond boards edges together using epoxy glue
- · Caulk control joints with polyurethane sealant
- · Fix covering material on board according to its installation guide









Sub Floor

VIVA Board:

8 - 10 mm

Existing concrete floor

Wood flooring, parquet

- Spread polyurethane adhesive on back side of boards
- · Lay boards in staggered pattern
- Fix boards to concrete floor with 2" concrete nail at every 20 cm
- · Lay water or sound proofing membrane on VIVA board deck
- Fix wood flooring or parquet on boards in crosswise direction





Board Thickness	Joist Span (cm x cm) and Loading (kg/m²)				
(mm)	40 x 40	40 x 120	60 x 60	60 x 120	
16	590	340	240	•	
20	960	550	410	230	
24	1400	790	600	340	

- Loading capabillity is calculated from minimum bending strength of VIVA Board at 9 N/mm² and engineering safety factor. Weight load shown in table is uniformly distributed. Point load, vibration, moving load or impact are excluded. Frame width must be sufficient to support all edges. Using entire boards for fooring to maximize weight load support.

Installation

VIVA Roof & Ceiling

Flat Roof

VIVA Board:

Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

10 - 16 mm

Firm

Galvanized steel C purlin

@ 40-60 cm

On principal and common frame

PVC water proofing membrane





Performance Roof - Heat and Sound Resistance Solution

VIVA Board: Installation Type:

Frame:

Frame Spacing:

Fixing:

Finishing:

10 - 16 mm


Galvanized steel C purlin

@ 40-60 cm

On principal and common frame

Lay heat or sound insulations on VIVA board deck

before covering with metal sheet





Sub Roof/Roof Decking

VIVA Board: Installation Type:

Frame:

Frame Spacing:

Fixing:

10 - 16 mm

Galvanized steel C purlin

On principal and common frame

Roof tile, shingle

Lay water proofing membrane on VIVA board deck

before attaching covering material





Fixed Ceiling

VIVA Board:

Installation Type: Frame:

Frame Spacing:

Fixing: Finishing: 8 mm

Galvanized steel ceiling section

@ 40 cm

On principal frame

Acrylic paint





T-bar Ceiling

VIVA Board: Installation Type: Frame:

Fixing:

8 mm

T-bar section

On principal frame

Acrylic paint

- Cut boards to size 60 x 60 cm or 60 x 120 cm
- · Apply primer on both sides of boards to prevent warping
- Coat front side with acrylic paint





VIVA Installation Instruction

VIVA Board is a combination of wood and cement. It inherits many properties of the two main components. It is weather resistant like cement. However, like any boards with wood or wood derived component, it has a degree of moisture movement, meaning that it contracts and expands in relation to changes in ambient moisture and temperature. The direction and degree of movement can be predicted and must be taken into account when installing the boards. Board should be fixed by a method that allows linear movement in most situations. This eliminates formal movement such as warping and bowling and prevents damages. Paint and coating reduces degree of movement. When covering material is applied, boards should be fixed firmly to minimize movement. Following are the two installation methods: Flex and Firm Installation

FIRM Installation

- Frame is assembled to allow movement when board is exposed to high degree of changes in temperature and moisture.
- Two pieces of steel frame should be used at joint between boards. If timber frame is used, two pieces of frame at joint between boards is not necessary.
- Frame is rigidly assembled to prevent untoward results due to board movement when a covering material such as ceramic tile or wood flooring is applied.

For VIVA Easy Wall, VIVA Deco Wall, VIVA Build and VIVA Clad

- Use only vertical frame. Attach frame to supporting structure by fixing it to L-shape bracket or 'U' Track.
- . Apply two pieces of frame at joint between boards. Fix frame together by using screws to allow some movement.
- · Recommend strengthen the frame by fixing 'U' galvanized steel frame at every 120 cm.
- Top Hat section can substitute two pieces of 'C' section frame by placing Top Hat inversely wing-up. VIVA Boards shall be fixed on different wings.

• Firmly assemble the frame together by welding or screwing

VIVA Floor and VIVA Roof

• If a single frame's width is insufficient, two frames at the joint between boards are recommended. Frame must be welded together to ensure no frame's movement.

For VIVA Covered Wall, VIVA Combi Wall, VIVA Wet Area,

depending on required rigidity and load capability.

Set frame at 30 cm x 30 cm, 40 cm x 40 cm, or 60 cm x 60 cm

 Provide control joint (movement joint) at every 4.8 - 6 meters and around the room's perimeter by using flex installation method to allow movement.

For VIVA Deco Floor and VIVA Ceiling

- Set principal joist cross-wise from board direction at 30 cm. 40 cm or 60 cm. Set common joist to support the long edges.
- Apply two pieces of frame at joint between boards. Fix joist together by using screws to allow some movement.

Fix boards along principal studs/joists only

Interior 3 - 5 mm

Exterior 5 - 10 mm

Polyurethane Sealant

Board Fixing

Fix boards on both vertical and horizontal direction along principal and common studs/joists.

2 - 3 mm

Caulking Material


Ероху

Fixing Distance


Fixing distance from edge	Fixing distance from corner	
Flex Installation: 30 mm	75 mm	
Firm Installation: 20 mm	75 mm	

VIVA Board	Distance between edge fixing 'A'	Distance between center fixing 'B'
8 - 16 mm	150 - 200 mm	200 - 300 mm
20 - 24 mm	200 - 300 mm	300 - 400 mm


Wall Application









Staggered Pattern









Control Joint

FRAME SELECTION

RECOMMENDED FRAME TYPE

Frame Ty	фе	Size	Thickness	Flexibility	Recommended Applications
Timber Frame		1½x 3"		High	VIVA Deco Wall, VIVA Easy Wall
'C' and 'U' Galvanized Steel	-	C75 U76	0.5 mm	High	VIVA Easy Wall, VIVA Build (residential building), VIVA Combi Wall
Top Hat Section	-11	65 x 30 mm	0.7 - 1.0 mm	High	VIVA Clad, VIVA Deco Wall (exterior)
ICI Link Cours Ober		75 x 45 x 15 mm	1.6 mm	Low	VIVA Build (public building), VIVA Covered Wall, VIVA Wet Area
'C' Light Gauge Steel		100-150 x 50 x 20 mm	2.3 - 3.2 mm	Very Low	VIVA Deco Floor
Light Gauge Box Section	11	100-150 x 50 mm	2.3 - 3.2 mm	No Flexibility	VIVA Floor with covering material

Working with VIVA BOARD

Cutting: VIVA Board can be cut with portable circular saw with tungsten carbide tipped blade or jigsaw. Crosscut

hand saw can be used for thickness up to 12 mm.

Milling: VIVA Board can be milled for half-lap, tongue and groove, tapered and etc. The milling tip should be made of

tungsten carbide. Please note that minimal thickness of board should be considered when milling.

Grinding: Manual grinding or electic hand-held grinding tools with abrasive paper of 40 - 80 granularity can be used at

joint areas of boards when boards' evenness is needed or the board surface should be coarsened.

VIVA Screw is recommended because it allows drilling and countersinking in one step. When using self-tapping screw,

pre-drilling with slightly oversize hole is required.

Screw Head Covering: Touch-up the screw heads with acrylic filler, epoxy putty or VIVA epoxy. To match screw head color with

VIVA board, use a mixture of Portland cement, adhesive, saw dust and pigment

Nailing: VIVA Board up to 10 mm thickness can be manually nailed onto timber frame without pre-drilling.

Wide Opening: In cutting a wide opening such as door or window, studs should be placed around the perimeter of the opening

to sufficiently reinforce the opening.

Flashing: For exterior applications, flashing should be installed for the areas such as window and door frame, adjoining wall,

opening, and top corner to prevent water leakage.









SURFACE TREATMENT



		•
Application	Painting	Coating
Interior	Acrylic paint Epoxy paint	Lacquer Gloss epoxy Gloss/Matte polyurethane Viva Clear Guard
Exterior	Exterior acrylic paint Polyurethane paint Wood stain	Siloxane water repellent Gloss/Matte polyurethane Viva Clear Guard

Remark:

Screwing:

- Alkaline resisting primer should always be applied as base before painting due to alkalinity of VIVA Board's surface.
- The board surface should be clean and dry before paint or coating.
- Oil-based paint is not recommended to use with VIVA Board.
- Applying paint or primer on the back side of the board ensure that the board is better conditioned for use where there are changes in moisture content and temperature of the board or where conditions on two sides of the boards differ substantially e.g. T-Bar ceiling.
- For applications used in high humidity area, moisture resistant coating should be applied to both surfaces before applying covering materials.
- Each paint and coating type has its special properties; please consult the paint manufacturer for more details.
- Exterior floor in natural finish or painting is not recommended.

Storage

- VIVA Board must be stored under a roofed area, in a dry environment and well protected from weather. Floor area should be leveled and solid.
- VIVA Board should be stored in its original packing supplied.
- If taken out from the pallets, board can be stacked with the maximum height of 75 cm. The stack shall be laid on 5 bearing plates with maximum of 60 cm space among plates. The stack shall be covered with waterproof protective plastic sheet.
- Maximum of 4 pallets or stacks shall be laid on top of each other.
- VIVA Board must never be stored on edge or upright. Outdoor storage is not recommended.

Transportation

- VIVA Board should be laid flat and be adequately protected during transportation by waterproof covering.
- Lifting the board from its stack should be done one piece at a time by sliding to the side. Never lift VIVA Board from its both ends because it may cause the boards to bend resulting in board breakage. VIVA Board must be carried in a vertical position.

Conditioning

to installation.

 VIVA Board should be allowed 24 - 48 hours to adapt to the ambient humidity level prior fixing for its most capability working conditions. If the board gets wet, it should be allowed to dry individually prior









Accessories



VIVA Clear Guard

For Interior Wall, Exterior Wall, Interior Floor & Floor Plank 100% Acrylic water-based coating, UV and water resistant, Semi-gloss, non-yellowing film, Does not change surface appearance, Suitable for Viva Board in natural finish

Net content: 3.785 litres





VIVA Epoxy

VIVA Epoxy is suitable for screw head covering and attaching covering materials such as ceramic tile and mosaic tile.

Available color: Light grey Weight: 2 kg/set (part A+B)



VIVA Screw

VIVA Screw is made from steel and coated with rust protective of 25 micron thick in compliance with AS 3566 Class 3. VIVA Screw can drill and countersink onto VIVA Board and frame without pre-drilling. It can be used with an electric drill with speed of over 2,700 rounds per minute.

VIVA Screw	Length (mm)	Frame Thickness (mm)	Board Thickness (mm)	Application
G#7-28 mm	28	0.75-1.00	8-10	Interior wall, Exterior wall and Ceiling
G#7-35 mm	35	0.75-1.00	12-16	Exterior wall
S#8-35 mm	35	1.20-3.20	8-16	Interior wall and Exterior wall
S#8-45 mm	45	1.20-3.20	20-24	Floor



Remark:

Steel coating class 3 is suitable for using in moderate temperature. For harsh weather conditions, steel coating class 4 is highly recommended.



VIVA Backing Rod

VIVA Backing Rod is functioned to minimize the amount of polyurethane sealant used and to act as a bond breaker between surfaces. VIVA Backing Rod is available in two sizes: 3 mm and 6 mm.

 \perp \bigcirc 3 mm for VIVA Board 8 - 10 mm.

☐ 6 mm for VIVA Board 12 mm. and above.
Length of VIVA Backing Rod is 50 meters per unit.



Step 1: Insert VIVA Backing Rod into gap



VIVA Flex (Polyurethane Sealant)

VIVA Flex Polyurethane Sealant conforms to SNJF, ASTM C920, ISO 8339 and ASTM D412 standard. Sausage package contains 600 ml and cartridge package contains 310 ml. It is available in two colors: white and light grey.



Step 2: Fill the gap with VIVA Flex

VIVA BOARD Technical Data

Specific Properties	Unit	Thai Industrial Standard (TIS 878-2537)	VIVA BOARD (Average Test result)	
Density	kg/m ³	1100 - 1300	1300	
Moisture Content		9 - 15		
Bending Strength	N/mm²	≥ 9		
Modulus of Elasticity	N/mm²	≥ 3000	5000	
Tensile Strength Perpendicular to Plane	N/mm²	≥ 0.5		
Thermal Conductivity (K Value)	W/m°c	≤ 0.25		
Thickness Swelling (after 24 hours immersed in water)		€ 2		
Other Properties	VIV	VIVA BOARD (Average Test Result)		
Surface Alkalinity		рН	12	
Length Change (after 24 hours immersed in water)			0.12	
Water Absorption (after 24 hours immersed in water)			12	

Fire Resistance Properties

VIVA Board contains high percentage of cement content permitting it to be highly fire-resistant. VIVA Board passed BS 476 Part 6 and 7 and is classified as virtually non-combustible or class 'O' material and it is also classified as class 'B' according to BS EN 13501-1.

VIVA Board partition system also passed the 1-hour, 2-hour and 4-hour fire rating test according to BS 476 Part 22, proving its fire prevention capability.

Dimensional Tolerance (mm)

- Diagonal	± 4.0
- Length/ Width	± 2.0
- Thickness 8 - 12 mm	± 1.0
- Thickness 16 - 20 mm	± 1.5
- Thickness 24 mm	+20

Sound Insulating Properties

Thickness (mm)	STC Rating
8	28
10	29
12	30
16	31
20	32

Due to its high density, VIVA Board contributes significant sound insulating performance than any other types of building boards.

Remark: Please consult the manufacturer for more details of fire resistance and sound insulating solutions.

Features and Benefits



Heat Insulation





Weather Resistance



Sound Insulating









Economical



Low Water



Asbestos Free





Eco-Friendly