




## RETRACTABLE **ROOF** PERGOLA

Sun and rain protection for outdoor living space

# COMPONENT BASIC PP-S1 VS PP-S2


## PP-S1

**ALUNOTEC AWNING**  
PP-S1 and PP-S2 has a projection from 2.5m to 5.8m up to 4.5m in length  
(Maximum length between rails).







## PP-S2

Main characteristics or differences with respect to **ALUNOTEC AWNING**



THE SPECIFICATION BELOW IS APPLICABLE TO ALL DESIGN OPTIONS.

PRODUCT DIAGRAM	PP-S1 CLASSIC	PP-A1 CLASSIC	PP-S2	PP-A2
				
Manual	✗	✗	✗	✗
Motorized	✓	✓	✓	✓
Maximum Width	4.5m	4.5m	4.5m	4.5m
Rail size within 5.85m	102 x 102mm	✗	102 x 102mm	✗
Rail size within 6-8m	102 x 150mm	102 x 150mm	102 x 150mm	102 x 150mm
Rail size within 8.5-12m	127 x 150mm	127 x 150mm	127 x 150mm	127 x 150mm
Gutter	120 x 85mm	120 x 85mm	180 x 150mm	180 x 150mm
Post size within 5.85m	102 x 102mm	102 x 102mm	102 x 150mm	102 x 150mm
Post size within 6-8m	102 x 102mm	102 x 102mm	102 x 150mm	102 x 150mm
Post size within 8.5-12m	127 x 127mm	127 x 127mm	127 x 150mm	127 x 150mm
Inclination	9-15 °	9-15 °	9-15 °	9-15 °
Allows enclosure	Side Screen/Sliding Door	Side Screen/Sliding Door	Side Screen/Sliding Door	Side Screen/Sliding Door
Wind Load	50-70Km/h	50-70Km/h	50-70Km/h	50-70Km/h

## DESIGN OPTIONS



01 Free Standing



02 Free Standing & Wall Mounted



03 Wall Hanging



04 Curved Roof

## OPTIONAL ITEMS

### Motorised Side Screen



### Linear Strip LED Lights



### Rain Wind Sensor



### Frameless Sliding Door



## QUALITY AND CERTIFICATION

### Materials




### Certifications and warranty



### Protection





Enjoy the view and expanse  
at the touch of a button

100% Waterproof PVC Fabric

The column can be  
moved freely(PP-S2)

Remote Control



# APPLICATION SCENARIO



Garden Verandas



Swimming Pool Seating Area



Outdoor Restaurant



Outdoor Decks



House Balcony



Backyard Recreation Area



Seaside Restaurant



Hotel / Others